TTE[®] PAVE

The Permeable Paver which Absorbs Heavy Precipitation





INTELLIGENT LOAD DISTRIBUTION

Approx. 50% reduction in substructure due to interlocking connection system

Protection of the soil from compaction & preservation of the seepage capacity

100% INFILTRATION

COLON O

High infiltration capacity & water storage of 100 l/m²

Absorption of heavy precipitation without additional drainage



DELIVERED READY FOR USE

MECHANICALLY LAYABLE

IMMEDIATELY USABLE



Water. Our most important basis of life and existential threat at the same time. With TTE® PAVE, we use this important resource to recharge our groundwater and at the same time prevent devastating flash floods and floods. This is because the high infiltration capacity and water storage completely absorb even heavy precipitation.











Material harmless to water, soil and human

Positive influence on the urban climate - prevention of heat islands

Unique infiltration capacity of 328,000 l/(s*ha)



Flexible combination of greened, paved or mineral surfaces

(j) More information at huebner-lee.de/en/tte-pave



FLEXIBLE COMBINATION

YOUR CONTRIBUTION TO CLIMATE PROTECTION

... using 1,000 m² of TTE[®] fastening as an example

64,010 kg

This is how many kg of CO₂ equivalent you avoid compared to waste incineration.

13,590 bags of plastic waste

Accordingly, so many bags of plastic waste are recycled for your project.

281,982 km

The amount of CO_2 avoided corresponds to a car ride of 281,982 km. That's almost 7 times around the earth.





HÜBNER-LEE GmbH & Co. KG, Gewerbestr. 1, D-87752 Holzgünz Tel.: +49 8393 / 9229-0, Fax: -22, info@huebner-lee.eu, www.huebner-lee.de/en









